

Report No.: CTT160830570EN

Date: Aug. 11, 2016

Page 1 of 5

Applicant: GOYA IMPORTACIONES Y DISTRIBUCIONES S.L.

Address: PLATAFORMA LOGISTICA DE ZARAGOZA C/TRAPANI 27EDIFICIO 50197 SPAIN

The following merchandise was (were) submitted and identified by client as:

Sample Name: Blanket

Model No.: 36510

Manufacturer: GOYA IMPORTACIONES Y DISTRIBUCIONES S.L. **Exported to:** CHINA

Supplier: GOYA IMPORTACIONES Y DISTRIBUCIONES S.L. **Country of Origin:** CHINA

Sample Received Date: Aug. 08, 2016


Completed Date: Aug. 11, 2016

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s):

No.	Test Sample	Standard and Requirement	Conclusion(s)
1	Tested materials of submitted samples	Annex XVII items 63 of the REACH Regulation (EC) No 1907/2006 & amended (EU) No 836/2012 - Lead content	PASS
2	Tested materials of submitted samples	Class II on client's requirement (For reference OEKO-TEX Standard 100:2016) - Formaldehyde	PASS (Please refer to "N" note of the next page)
3	Tested materials of submitted samples	Client's requirement (For reference OEKO-TEX Standard 100:2016) - Cleavable arylamines (AZO)	PASS (Please refer to "N" note of the next page)

Signed for and on Behalf of CTT



Yuhu / Lab supervisor

Consumer Testing Technology Co., Ltd.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" or "m" means they are not accredited by CNAS or CMA. "s" means the item of subcontractor is not accredited by CNAS or CMA.

Test Report

Report No.: CTT160830570EN

Date: Aug. 11, 2016

Page 2 of 5

Test Result(s):

REACH – Lead content

Method: With reference to IEC 62321-5: 2013, analyzed Atomic Absorption Spectroscopy (AAS) or Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES).

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
1	500	N.D.	PASS
2	500	N.D.	PASS
3	500	N.D.	PASS
4	500	N.D.	PASS
5	500	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 10 mg/kg.

Formaldehyde - Client's requirement (For reference OEKO-TEX Standard 100)ⁿ

Method: OEKO - TEX Testing Procedures, analyzed by Ultraviolet visible Spectroscopy (UV-Vis).

Material No.	Limit (mg/kg)				Result (mg/kg)	Conclusion
	I	II	III	IV		
1+2+3 ^N	N.D.	75	300	300	N.D.	PASS
4+5 ^N	N.D.	75	300	300	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 16 mg/kg.
 4. Product Class:
 - I = products for babies.
 - II = products with direct contact to skin.
 - III = products without direct contact to skin.
 - IV = decoration materials.
 5. "N" = This data is obtained from composite testing on more than one materials, it is possible that result obtained from individual testing on any one of the materials is substantially higher. Please be cautious when using this data for compliance evaluation.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" or "m" means they are not accredited by CNAS or CMA. "s" means the item of subcontractor is not accredited by CNAS or CMA.



Test Report

Report No.: CTT160830570EN

Date: Aug. 11, 2016

Page 3 of 5

Test Result(s):

Cleavable Arylamines (AZO) - Client's requirement (For reference OEKO-TEX Standard 100)^s

Method: OEKO - TEX Testing Procedures, analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS)/ High Performance Liquid Chromatograph (HPLC-DAD).

No.	Substances Name	CAS No.	Limit (mg/kg)	Result (mg/kg)
				1+2+3 ^N
1	biphenyl-4-ylamine/ 4-aminodiphenyl/ xenylamine	92-67-1	20	N.D.
2	benzidine	92-87-5	20	N.D.
3	4-chloro-o-toluidine	95-69-2	20	N.D.
4	2-naphthylamine	91-59-8	20	N.D.
5 Δ	o-aminoazotoluene/ 4-o-tolylazo-o-toluidine/ 4-amino-2', 3-dimethylazobenzene	97-56-3	20	N.D.
6 Δ	2-amino-4-nitrotoluene/ 5-nitro-o-toluidine	99-55-8	20	N.D.
7	4-chloroaniline/p-chloroaniline	106-47-8	20	N.D.
8	4-methoxy-m-phenylenediamine/2,4-diaminoanisole	615-05-4	20	N.D.
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane	101-77-9	20	N.D.
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine	91-94-1	20	N.D.
11	3,3'-dimethoxybenzidine/ o-dianisidine	119-90-4	20	N.D.
12	3,3'-dimethylbenzidine/ 4,4'-bi-o-toluidine	119-93-7	20	N.D.
13	4,4'-methylenedi-o-toluidine/ 3,3'-Dimethyl-4,4'-diaminobiphenylmethane	838-88-0	20	N.D.
14	6-methoxy-m-toluidine/ p-cresidine	120-71-8	20	N.D.
15	4,4'-methylene-bis-(2-chloroaniline)/ 2,2'-dichloro-4,4'-methylene-dianiline	101-14-4	20	N.D.
16	4,4'-oxydianiline	101-80-4	20	N.D.
17	4,4'-thiodianiline	139-65-1	20	N.D.
18	o-toluidine/ 2-aminotoluene	95-53-4	20	N.D.
19	4-methyl-m-phenylenediamine/ 2,4-toluylendiamine	95-80-7	20	N.D.
20	2,4,5-trimethylaniline	137-17-7	20	N.D.
21	o-anisidine / 2-methoxyaniline	90-04-0	20	N.D.
22 \diamond	4-aminoazobenzene	60-09-3	20	N.D.
23	2,4-xylidine	95-68-1	20	N.D.
24	2,6-xylidine	87-62-7	20	N.D.
Conclusion				PASS

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" or "m" means they are not accredited by CNAS or CMA. "s" means the item of subcontractor is not accredited by CNAS or CMA.



Test Report

Report No.: CTT160830570EN

Date: Aug. 11, 2016

Page 4 of 5

No.	Substances Name	CAS No.	Limit (mg/kg)	Result (mg/kg)
				4+5 ^N
1	biphenyl-4-ylamine/ 4-aminodiphenyl/ xenylamine	92-67-1	20	N.D.
2	benzidine	92-87-5	20	N.D.
3	4-chloro-o-toluidine	95-69-2	20	N.D.
4	2-naphthylamine	91-59-8	20	N.D.
5 Δ	o-aminoazotoluene/ 4-o-tolylazo-o-toluidine/ 4-amino-2', 3-dimethylazobenzene	97-56-3	20	N.D.
6 Δ	2-amino-4-nitrotoluene/ 5-nitro-o-toluidine	99-55-8	20	N.D.
7	4-chloroaniline/p-chloroaniline	106-47-8	20	N.D.
8	4-methoxy-m-phenylenediamine/2,4-diaminoanisole	615-05-4	20	N.D.
9	4,4'-methylenedianiline/ 4,4'-diaminodiphenylmethane	101-77-9	20	N.D.
10	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine	91-94-1	20	N.D.
11	3,3'-dimethoxybenzidine/ o-dianisidine	119-90-4	20	N.D.
12	3,3'-dimethylbenzidine/ 4,4'-bi-o-toluidine	119-93-7	20	N.D.
13	4,4'-methylenedi-o-toluidine/ 3,3'-Dimethyl-4,4'-diaminobiphenylmethane	838-88-0	20	N.D.
14	6-methoxy-m-toluidine/ p-cresidine	120-71-8	20	N.D.
15	4,4'-methylene-bis-(2-chloroaniline)/ 2,2'-dichloro-4,4'-methylene-dianiline	101-14-4	20	N.D.
16	4,4'-oxydianiline	101-80-4	20	N.D.
17	4,4'-thiodianiline	139-65-1	20	N.D.
18	o-toluidine/ 2-aminotoluene	95-53-4	20	N.D.
19	4-methyl-m-phenylenediamine/ 2,4-toluylendiamine	95-80-7	20	N.D.
20	2,4,5-trimethylaniline	137-17-7	20	N.D.
21	o-anisidine / 2-methoxyaniline	90-04-0	20	N.D.
22 \diamond	4-aminoazobenzene	60-09-3	20	N.D.
23	2,4-xylidine	95-68-1	20	N.D.
24	2,6-xylidine	87-62-7	20	N.D.
Conclusion				PASS

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" or "m" means they are not accredited by CNAS or CMA. "s" means the item of subcontractor is not accredited by CNAS or CMA.



Test Report

Report No.: CTT160830570EN

Date: Aug. 11, 2016

Page 5 of 5

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 20 mg/kg.
 4. "Δ" = The CAS No. 97-56-3 (No.5) and 99-55-8 (No.6) are further reduced to CAS No.95-53-4 (No.18) and 95-80-7(No.19).
 5. "◇" = Azo colorants that are able to form 4-aminoazobenzene(No.22), generate under the condition of this method aniline and 1, 4-phenylenediamine, therefore, the method of § 64 LFGB, BVL, B 82.02.9 was employed to verify the 4-aminoazobenzene.
 6. "N" = This data is obtained from composite testing on more than one materials, it is possible that result obtained from individual testing on any one of the materials is substantially higher. Please be cautious when using this data for compliance evaluation.

Test Material List

The following materials apply only to the samples submitted for testing

Material No.	Description	Location
1	Gray synthetic fiber	Connect rope
2	Beige synthetic fiber	Blanket(long wool)
3	Beige synthetic fiber	Blanket(short wool)
4	Gray synthetic fiber	Blanket(long wool)
5	Gray synthetic fiber	Blanket(short wool)

Photo of Sample:



End of Report

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Items marked with "n" or "m" means they are not accredited by CNAS or CMA, "s" means the item of subcontractor is not accredited by CNAS or CMA.